

Shenzhen Vipstech Co., Ltd


Product Catalog




Add: 3rd-6th Floor, Lvcai Industrial Zone, Liuxian 3rd Road, Baoan 71st Dist.,
Shenzhen, China

Contact person: Daniel Chen Email: daniel@vipstech.com Mobile: +86 186-8156-4218

Contents



Android TV Box



Android TV Box

Model No.: V2



Dual-core: Allwinner A20
RockChip RK3066

Quad-core: RockChip RK3188
RockChip RK3288
Amlogic S802
Amlogic S805

OS: Android 4.2/4.4 and HTML5

Memory: 1GB

Storage: 4GB/8GB

Power: 5V 1500mA

Video/Audio: HDMI 1.4 & AV OUT

MAX Resolution: 1080P/4K*2K

Network: Wi-Fi & LAN

USB Port: USB2.0 HOST*2

Card Reader: TF/MicroSD card reader*1

Size: 117*117*16.5mm



IR



AV Cable



HDMI Cable



Adaptor



Gift Box



User's Manual



Android TV Box

Model No.: V4



Dual-core: Allwinner A20
RockChip RK3066

Quad-core: RockChip RK3188
RockChip RK3288
Amlogic S802
Amlogic S805

OS: Android 4.2/4.4 and HTML5

Memory: 1GB

Storage: 4GB/8GB

Power: 5V 1500mA

Video/Audio: HDMI 1.4&AV OUT+Optical

MAX Resolution: 1080P/4K*2K

Network: Wi-Fi & LAN

USB Port: USB2.0 HOST*2

Card Reader: TF/MicroSD card reader*1

Size: 118.7*118.7*24.5mm



IR



AV Cable



HDMI Cable



Adaptor



Gift Box



User's Manual



Android TV Box

Model No.: V5



Dual-core: Allwinner A20
RockChip RK3066

Quad-core: RockChip RK3188
RockChip RK3288
Amlogic S802
Amlogic S805

OS: Android 4.2/4.4 and HTML5

Memory: 1GB

Storage: 4GB/8GB

Power: 5V 1500mA

Video/Audio: HDMI 1.4 & AV OUT

MAX Resolution: 1080P/4K*2K

Network: Wi-Fi & LAN

USB Port: USB2.0 HOST*2

Card Reader: TF/MicroSD card reader*1

Size: 139.5*139.5*16.5mm



IR



AV Cable



HDMI Cable



Adaptor



Gift Box



User's Manual



Android TV Box

Model No.: V6



Dual-core: Allwinner A20
RockChip RK3066

Quad-core: RockChip RK3188
RockChip RK3288
Amlogic S802
Amlogic S805

OS: Android 4.2/4.4 and HTML5

Memory: 1GB

Storage: 4GB/8GB

Power: 5V 1500mA

Video/Audio: HDMI 1.4 & AV OUT

MAX Resolution: 1080P/4K*2K

Network: Wi-Fi & LAN

USB Port: USB2.0 HOST*2

Card Reader: TF/MicroSD card reader*1

Size: 135*135*21.6mm



IR



AV Cable



HDMI Cable



Adaptor



Gift Box



User's Manual



Android TV Box

Model No.: V7



Dual-core: Allwinner A20
RockChip RK3066

Quad-core: RockChip RK3188
RockChip RK3288
Amlogic S802
Amlogic S805

OS: Android 4.2/4.4 and HTML5

Memory: 1GB

Storage: 4GB/8GB

Power: 5V 1500mA

Video/Audio: HDMI 1.4 & AV OUT

MAX Resolution: 1080P/4K*2K

Network: Wi-Fi & LAN

USB Port: USB2.0 HOST*2

Card Reader: TF/MicroSD card reader*1

Size: 158.8*110.6*25mm



IR



AV Cable



HDMI Cable



Adaptor



Gift Box



User's Manual



Android HDMI Dongle



**Android
HDMI Dongle**



VD12



VD14M



VD22



VD24R



Android HDMI Dongle



Model No.: VD12

CPU: Rockchip RK3066

Dual-core Cortex-A9 1.6GHz

OS: Android4.2 and HTML5

Memory: DDR3:1GB+Nand:4GB

**Input/Output: USB2.0 Host*1, Micro SD,
HDMI1.4, IR**

Network: 802.11B/G/N Wifi Built in

**Control: IR(Standard), 2.4G Wireless mouse,
2.4G Air Mouse&keyboard (optional)**

Power: DC 5V/1A

**Accessories: HDMI External Cable, IR Cable,
User`s Manual, Gift Box**

**Optional: 2.4G Wireless mouse, 2.4G Air
Mouse&keyboard**

Max Solution: 1080P



Android HDMI Dongle



Model No.: VD14M

CPU: Amlogic S805

Quad-core Cortex 1.5GHz

OS: Android4.4 and HTML5

Memory: DDR3:1GB+Nand:4GB

Input/Output: USB2.0 Host*1, Micro SD, IR
HDMI1.4 1080P@60fps

Network: 802.11B/G/N Wifi Built in


Control: IR(Standard), 2.4G Wireless mouse,
2.4G Air Mouse&keyboard (optional)

Power: DC 5V/1A

Accessories: HDMI External Cable, IR Cable,
User`s Manual, Gift Box

Optional: 2.4G Wireless mouse, 2.4G Air
Mouse&keyboard

Max Solution: **1080p&1080p H.265
decoding**



Android HDMI Dongle



Model No.: VD22

CPU: Rockchip RK3066

Dual-core Cortex-A9 1.6GHz

OS: Android4.2 and HTML5

Memory: DDR3:1GB+Nand:4GB

**Input/Output: USB2.0 Host*1, Micro SD,
HDMI1.4, IR**

Network: 802.11B/G/N Wifi Built in

**Control: IR(Standard), 2.4G Wireless mouse,
2.4G Air Mouse&keyboard (optional)**

Power: DC 5V/1A

**Accessories: HDMI External Cable, IR Cable,
User`s Manual, Gift Box**

**Optional: 2.4G Wireless mouse, 2.4G Air
Mouse&keyboard**

Max Solution: 1080P



Android HDMI Dongle



Model No.: VD24R

CPU: Rockchip RK3188T

Quad-core Cortex 1.5GHz

OS: Android4.4 and HTML5

Memory: DDR3:1GB+Nand:4GB

Input/Output: USB2.0 Host*1, Micro SD, IR
HDMI1.4 1080P@60fps

Network: 802.11B/G/N Wifi Built in

Control: IR(Standard), 2.4G Wireless mouse,
2.4G Air Mouse&keyboard (optional)

Power: DC 5V/1A

Accessories: HDMI External Cable, IR Cable,
User`s Manual, Gift Box

Optional: 2.4G Wireless mouse, 2.4G Air
Mouse&keyboard

Max Solution: 1080p



Miracast HDMI Dongle



Miracast HDMI Dongle



Model No.: VE1

CPU: Actions-micro AM8252B

OS: Linux

Memory: DDR 128M

Input/Output: Power input/HDMI output

Network: 802.11B/G/N Wifi Built in

Control: Smart phone/tablet PC

Power: DC 5V/1A

Accessories: HDMI External Cable, User`s Manual, Gift Box, USB Cable

Optional: Adaptor 5V 1A with USB port

Max Solution: 1080P

Size: 98.6x33.1x12.2mm

Colors: black, white



Miracast HDMI Dongle



Model No.: VE2

CPU: Actions-micro AM8251

OS: Linux

Memory: DDR 128M

Input/Output: Power input/HDMI output

Network: 802.11B/G/N Wifi Built in

Control: Smart phone/tablet PC/PC/iMAC

Power: DC 5V/1A


Accessories: HDMI External Cable, User`s Manual, Gift Box, USB Cable

Optional: Adaptor 5V 1A with USB port

Max Solution: 1080P

Size: 98.6x33.1x12.2mm

Colors: black, white



Power Banks



Power
Banks



New Book Series



Classical Book Series



Mini Size Series



Flagon Shaped Series



Crystal Series



Multifunction Series



New Book Series

Model No.: VP014

Cell: 18650 Li-ion battery

**Capacity: 2000mAh/2200mAh
2600mAh/3000mAh**

Input: DC 5V 0.5A

Output: DC 5V 1A

Size: 96*24*24mm

Net Weight: 63g

Packing: 1Pcs/Box; 60Pcs/CTN

Carton Dimension:50*35.2*23.6cm

Operating temperature -10° C~50° C

Cycle life ≥500times

Colors: Optional



New Book Series

Model No.: VP022

Cell: 18650 Li-ion battery

**Capacity: 4000mAh/4400mAh
5200mAh/6000mAh**

Input: DC 5V 1A

Output: DC 5V 2.1A

Size: 102*42*22mm

Net Weight: 125g

Packing: 1Pcs/Box; 60Pcs/CTN

Carton Dimension:50*35.2*23.6cm

Operating temperature -10° C~50° C

Cycle life ≥500times

Colors: Optional



New Book Series



Model No.: VP034

Cell: 18650 Li-ion battery

**Capacity: 6000mAh/6600mAh
7800mAh/9000mAh**

Input: DC 5V 1A

Output: DC 5V/1A, DC 5V/2.1A

Size: 102*59*22mm

Net Weight: 175g

Packing: 1Pcs/Box; 60Pcs/CTN

Carton Dimension:50*35.2*23.6cm

Operating temperature -10° C~50° C

Cycle life ≥500times

Colors: Optional



New Book Series

Model No.: VP064

Cell: 18650 Li-ion battery
Capacity: 10000mAh/11000mAh
13000mAh/15000mAh

Input: DC 5V 1A

Output: DC 5V/1A, DC 5V/2.1A

Size: 139*60*22.5mm

Net Weight: 275g

Packing: 1Pcs/Box; 20Pcs/CTN

Carton Dimension:42*27.5*24cm

Operating temperature -10° C~50° C

Cycle life ≥500times

Colors: Optional



New Book Series



Model No.: VP084

Cell: 18650 Li-ion battery

**Capacity: 16000mAh/17600mAh
20800mAh/24000mAh**

Input: DC 5V 1A

Output: DC 5V/1A, DC 5V/2.1A

Size: 160*78*23mm

Net Weight: 379g

Packing: 1Pcs/Box; 20Pcs/CTN

Carton Dimension:42*27.5*24cm

Operating temperature -10° C~50° C

Cycle life ≥500times

Colors: Optional



New Book Series



Model No.: VP1A1

Cell: Li-Polymer battery

Capacity: 10000mAh

Input: DC 5V 1A

Output: DC 5V/1A, DC 5V/2.1A

Size: 145.4*67.3*14mm

Packing: 1Pcs/Box; 20Pcs/CTN

Carton Dimension:42*27.5*24cm

Operating temperature -10° C~50° C

Cycle life ≥500times

Colors: Optional



New Book Series



Model No.: VP1C1

Cell: Li-Polymer battery

Capacity: 12000mAh

Input: DC 5V 1A

Output: DC 5V/1A, DC 5V/2.1A

Size: 158*78.5*16.2mm

Packing: 1Pcs/Box; 20Pcs/CTN

Carton Dimension:42*27.5*24cm

Operating temperature -10° C~50° C

Cycle life ≥500times

Colors: Optional



Power Banks



Power
Banks



New Book Series

Classical Book Series

Mini Size Series

Flagon Shaped Series

Crystal Series

Multifunction Series



Classical Book Series

Model No.: VP024

Cell: 18650 Li-ion battery

**Capacity: 4000mAh/4400mAh
5200mAh/6000mAh**

Input: DC 5V 1A

Output: DC5V 1A

Size: 98*42*23mm

Net Weight: 125g

Packing: 1Pcs/Box; 60Pcs/CTN

Carton Dimension:50*35.2*23.6cm

Operating temperature -10° C~50° C

Cycle life ≥500times

Colors: Optional



Classical Book Series

Model No.: VP164



Cell: Li-Polymer battery

Capacity: 6000mAh

Input: DC 5V 1A

Output: DC5V 2.1A

Size: 124*57*15mm

Net Weight: 152g

Packing: 1Pcs/Box; 60Pcs/CTN

Carton Dimension:50*35.4*23.2cm

Operating temperature -10° C~50° C

Cycle life ≥500times

Colors: Optional



Classical Book Series



Model No.: VP054

Cell: 18650 Li-ion battery

**Capacity: 10000mAh/11000mAh
13000mAh/15000mAh**

Input: DC 5V 1A

Output: DC 5V/1A, DC 5V/2.1A

Size: 124*75*23mm

Net Weight: 282g

Packing: 1Pcs/Box; 40Pcs/CTN

Carton Dimension:35.2*31.5*23.6cm

Operating temperature -10° C~50° C

Cycle life ≥500times

Colors: optional



Power Banks



Power
Banks



New Book Series

Classical Book Series

Mini Size Series

Flagon Shaped Series

Crystal Series

Multifunction Series



Mini Size Series

Model No.: VP011

Cell: 18650 Li-ion battery
Capacity: 2000mAh/2200mAh
2600mAh/3000mAh

Input: DC 5V 0.5A

Output: DC 5V 1A

Size: 96*24*24mm

Net Weight: 64g

Packing: 1Pcs/Box; 60Pcs/CTN

Carton Dimension: 50*35.2*23.6cm

Operating temperature -10° C~50° C

Cycle life ≥500times

Colors: Optional



Mini Size Series

Model No.: VP014

Cell: 18650 Li-ion battery

**Capacity: 2000mAh/2200mAh
2600mAh/3000mAh**

Input: DC 5V 0.5A

Output: DC 5V 1A

Size: 96*24*24mm

Net Weight: 63g

Packing: 1Pcs/Box; 60Pcs/CTN

Carton Dimension:50*35.2*23.6cm

Operating temperature -10° C~50° C

Cycle life ≥500times

Colors: Optional



Mini Size Series

Model No.: VP019



Cell: 18650 Li-ion battery

Capacity: 2000mAh/2200mAh
2600mAh/3000mAh

Input: DC 5V 0.5A

Output: DC 5V 1A

Size: 96*24*24mm

Net Weight: 68g

Packing: 1Pcs/Box; 60Pcs/CTN

Carton Dimension: 50*35.2*23.6cm

Operating temperature -10° C~50° C

Cycle life ≥500times

Colors: Optional



Power Banks



**Power
Banks**

● **New Book Series**

● **Classical Book Series**

● **Mini Size Series**

● **Flagon Shaped Series**

● **Crystal Series**

● **Multifunction Series**



Flagon Shaped Series

Model No.: VP033



Cell: 18650 Li-ion battery

**Capacity: 6000mAh/6600mAh
7800mAh/9000mAh**

Input: DC 5V 1A

Output: DC 5V 2.1A

Size:127*77*26mm

Net Weight:206g

Packing: 1Pcs/Box; 20Pcs/CTN

Carton Dimension:38*36.5*32.2cm

Operating temperature -10° C~50° C

Cycle life ≥500times

Colors: Tree Pattern PU, Shinning PU



Flagon Shaped Series

Model No.: VP051

Cell: 18650 Li-ion battery

**Capacity: 10000mAh/11000mAh
13000mAh/15000mAh**

Input: DC 5V 1A

Output: DC 5V 2.1A

Size: 127*97*26mm

Net Weight:318g

Packing: 1Pcs/Box; 20Pcs/CTN

Carton Dimension:38*36.5*32.2cm

Operating temperature -10° C~50° C

Cycle life ≥500times

Colors: Tree Pattern PU, Shinning PU



Power Banks



**Power
Banks**



New Book Series

Classical Book Series

Mini Size Series

Flagon Shaped Series

Crystal Series

Multifunction Series



Crystal Series



Model No.: VP025

Cell: 18650 Li-ion battery

**Capacity: 4000mAh/4400mAh
5200mAh/6000mAh**

Input: DC 5V 1A

Output: DC5V 1A

Size: 92.5*41*22mm

Net Weight: 137g

Packing: 1Pcs/Box; 60Pcs/CTN

Carton Dimension:50*35.2*23.6cm

Operating temperature -10° C~50° C

Cycle life ≥500times

Colors: Optional



Crystal Series

Model No.: VP055

Cell: 18650 Li-ion battery

**Capacity: 10000mAh/11000mAh
13000mAh/15000mAh**

Input: DC 5V 1A

Output: DC 5V/1A, DC 5V/2.1A

Size: 124*71*22mm

Net Weight: 305g

Packing: 1Pcs/Box; 40Pcs/CTN

Carton Dimension:35.2*31.5*23.6cm

Operating temperature -10° C~50° C

Cycle life ≥500times

Colors: optional



Power Banks



**Power
Banks**

● **New Book Series**

● **Classical Book Series**

● **Mini Size Series**

● **Flagon Shaped Series**

● **Crystal Series**

● **Multifunction Series**



Multifunction Series

Model No.: VP152

Cell: Polymer Li-ion battery

Capacity: 5000mAh

Input: DC 5V 1A

Output: DC 5V 1A, DC 5V 2.1A

Size: 115*62.5*16.5mm

Net Weight: 140g

Packing: 1Pcs/Box; 60Pcs/CTN

Carton Dimension:50*35.4*23.2cm

Operating temperature -10° C~50° C

Cycle life ≥500times

Colors: Optional



Multifunction Series

Model No.: VP030



Cell: 18650 Li-ion battery
Capacity: 6000mAh/6600mAh
7800mAh/8400mAh

Input: DC 5V 1A

Output: DC 5V 1A, DC 5V 2.1A

Size: 75.6*75.6*22mm

Net Weight: 195g

Packing: 1Pcs/Box; 60Pcs/CTN

Carton Dimension: 50*35.4*23.2cm

Operating temperature -10° C~50° C

Cycle life ≥500times

Colors: Optional



Multifunction Series



Model No.: VP165

Cell: Polymer Li-ion battery

Capacity: 6000mAh

Input: DC 5V 1A

Output: DC 5V 2.1A

Size: 124*57*15mm

Net Weight: 160g

Packing: 1Pcs/Box; 60Pcs/CTN

Carton Dimension: 50*35.4*23.2cm

Operating temperature -10° C~50° C

Cycle life ≥500times

Colors: Optional



Wireless Chargers



**Wireless
Chargers**

Wireless Power Bank

**Wireless Charger
& 6 Ports USB Charger**



Wireless Power Bank



Model No.: VP16W

Cell: Li-Polymer battery

Capacity: 6000mAh

Input: DC 5V 1A

Output: DC 5V/1A, DC 5V/2.1A

Size: 145*83*14mm

Net Weight: 152g

Packing: 1Pcs/Box; 60Pcs/CTN

Carton Dimension: 50*35.4*23.2cm

Operating temperature -10° C~50° C

Cycle life ≥500times

Colors: Optional



Wireless Charger & 6 Ports USB Charger Socket

Model No.: VP26W

**AC Input: 100~200V, 0.8A, 50/60Hz
Output: 7 (Charging 7 devices
at the same time)**

USB Port: 6 (4*1A, 2*2.1A)

Wireless Charging: YES

Max Power output: 50W/10A

Case: Structure of ABS

Diameter: 176mm

Length of Cable: 3.5M

Net Weight: 450g

Color: Black

Certificate: Qi, CCC, CE, FCC, RoHS



WiFi Power Bank



**Wi-Fi
Power Bank**



**Wireless Storage WiFi AP
Power Bank VP181**



**Wireless Storage WiFi Router
Power Bank VP061**



Wireless Storage WiFi AP Power Bank VP181

Model No.: VP181

Cell: Li-Polymer battery

Capacity: 8000mAh

Input: DC 5V 1A

Output: DC 5V 2.1A

Card reader: TF/Micro SD card reader*1

USB port: USB2.0 HOST*1

Size: 145.4*67.3*14mm

Net Weight: 200g

4 IN 1: Power bank

WiFi AP

3G Hotspot

Multi-media share



Wireless Storage Power Bank WiFi Router VP061

Model No.: VP061

Cell: 18650 Li-ion battery

**Capacity: 6000mAh/6600mAh
7800mAh/9000mAh**

Input: DC 5V 1A

Output: DC 5V/2.1A

Size: 139*60*22.5mm

Card reader: TF/Micro SD card reader*1

USB port: USB2.0 HOST*1

4 IN 1: Power bank

WiFi Router

3G Hotspot

Multi-media share



Shenzhen Vipstech Co., Ltd

Thank You !

Add: 3rd-6th Floor, Lvcai Industrial Zone, Liuxian 3rd Road, Baoan 71st Dist.,
Shenzhen, China

Contact person: Daniel Chen Email: daniel@vipstech.com Mobile: +86 186-8156-4218